To: NE England SNS Volunteers:

Martin Blick Cleveland Daniel M Turner Geoff Siggens Tyne & Wear south North Shields

Peter Collins Tyne & Wear south Tuesday 14 March 2006

Ross Ahmed South Shields / Farne Islands

Dan Turner North Tyne & Wear, SE and Mid N/land

Ray Chilton North Blyth / Wansbeck
Phil Gilbert Druridge Bay, Northumberland
Phil Davey Beal Station (Fenham Flats)

Malcolm Hutcheson Berwick George Moody Holy Island

Jenny Prince Belford (Budle Bay/Bamburgh North - South)

David Rollo Vet, Berwick Swan and Wildlife Trust

To: SE Scotland SNS volunteer: Maggie Sheddan East Lothian

To: North Norfolk SNS volunteer group: Steve Bexton and RSPCA East Winch Wildlife Centre

Dear 'Save the North Sea' volunteers,

Here is the March 2006 newsletter to keep you updated with our Group's recent findings.

Apologies for the delay since the last newsletter which was produced at the end of October 2005, but I would like to thank you all so much for your continuation of the survey work and for sending me a steady stream of information. Remember – even if you find no corpses in a particular month, please record the dates of your surveys and lengths of shore covered (and report back to me) since we are working out numbers of corpses per length of shore surveyed for certain species.

There is another (international) Fulmar workshop on the island of Texel, The Netherlands, this week, but I have been unable to spare the time to attend this one.

I would like to welcome one of my (computing) work colleagues, Jonathan Everett - who is also a keen birder, to the surveys and he will shortly be commencing to survey in the South Tyneside area at Marsden Bay and Frenchman's Bay. We may also be welcoming another one or two surveyors to the south Northumberland coastline surveys shortly.

I shall soon be summarising our 2004 and 2005 data for publication in the 'Transactions' of the Natural History Society of Northumbria.

If you have any questions, requests, suggestions or notice any errors then please let me know.

Enclosed please find:

- (a) Northeast England Summary Report for Newsletter (March 2006) using data received so far.
- (b) Southeast England Summary Report for data from March to December 2005.
- (c) Summary of 2005 specimens collected for the Hancock Museum, Newcastle upon Tyne.
- (d) 'Avian Influenza Update: 13th March 2006' information sheet from BTO website.
- (e) 'Diseases from Birds' recent information from BTO (particularly for ringers).
- (f) Recording forms (if appropriate)
- (g) Disposable gloves (if appropriate)

Please continue to return your SNS Beached Bird Survey reports regularly – so that they may be included in our growing dataset. Please also report ringed birds – for inclusion in our reports. As always – please let me know when you find Fulmar or ringed auk corpses – which will be collected for analysis.

Best wishes, Dan Turner

Summary report for Newsletter (March 2006) Northeast England, Beached Bird Survey summary report Sept 2005 to Feb 2006

Key Location Data collected by:

NN: North Northumberland Jenny Prince, George Moody, Malcolm Hutcheson

MN / SN: Mid / South Northumberland Dan Turner, Ray Chilton (from Jan 2005),

Phil and Keziah Gilbert (from April 2005).

Hew Ellis (occasional, 2005).

NT: North Tyneside, Tyne and Wear Dan Turner

ST: South Tyneside, Tyne and Wear Peter Collins, Mick Simpson and Laurie Small,

Ross Ahmed (from March 2005).

T&W: Tyne & Wear: including NT + ST

Cle: Cleveland

As above, plus Geoff Siggens (from Feb 2005).

Martin A. Blick

| Month | | | Se | pt 2005 | | | Oct 2005 | | | | | | |
|------------|------|-----|------|---------|------|-------|----------|------|------|------|------|-------|--|
| Location | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total | |
| Kilometres | 20.0 | 3.2 | 7.5 | 1.8 | 6.0 | 38.5 | 20.0 | 3.2 | 7.5 | 1.8 | 3.5 | 36.0 | |
| Fulmar | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Gannet | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | |
| Cormorant | 1 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | |
| Shag | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 2 | |
| Mute Swan | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | |
| Eider Duck | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Waders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | |
| Gulls | 0 | 0 | 4 | 0 | 2 | 6 | 0 | 5 | 2 | 0 | 2 | 9 | |
| Auks | 3 | 0 | 2 | 2 | 5 | 12 | 16 | 14 | 12 | 1 | 0 | 43 | |
| Auks / km | 0.15 | 0.0 | 0.27 | 1.11 | 0.83 | 0.31 | 0.80 | 4.38 | 1.60 | 0.56 | 0.0 | 1.19 | |
| Gulls / km | 0.0 | 0.0 | 0.53 | 0.0 | 0.33 | 0.16 | 0.0 | 1.56 | 0.27 | 0.0 | 0.57 | 0.25 | |

| Month | | | No | v 2005 | | | Dec 2005 | | | | | | |
|---------------|------|------|------|--------|------|-------|----------|------|-----|-----|------|-------|--|
| Location | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total | |
| Kilometres | 20.0 | 1.2 | 7.5 | 2.2 | 8.0 | 38.9 | 17.5 | 3.2 | 7.5 | 3.8 | 5.0 | 37.0 | |
| Great Crested | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Grebe | | | | | | | | | | | | | |
| Fulmar | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Gannet | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | |
| Cormorant | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | |
| Shag | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | |
| Mute Swan | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Pink-footed | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | |
| Goose | | | | | | | | | | | | | |
| Shelduck | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | |
| Eider Duck | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | |
| Kestrel | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Gulls | 1 | 2 | 2 | 0 | 1 | 6 | 0 | 6 | 0 | 0 | 6 | 12 | |
| Auks | 11 | 5 | 2 | 0 | 5 | 23 | 20 | 4 | 0 | 0 | 3 | 27 | |
| Auks / km | 0.55 | 4.17 | 0.27 | 0.0 | 0.63 | 0.59 | 1.14 | 1.25 | 0.0 | 0.0 | 0.60 | 0.73 | |
| Gulls / km | 0.05 | 1.67 | 0.27 | 0.0 | 0.13 | 0.15 | 0.0 | 1.88 | 0.0 | 0.0 | 1.20 | 0.32 | |

| Month | | | Ja | an 2006 | | | Feb 2006 | | | | | |
|------------|------|-----|-----|---------|-----|-------|----------|-----|-----|-----|-----|-------|
| Location | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total |
| Kilometres | 19.0 | 3.2 | 7.5 | 3.3 | 7.0 | 40.0 | 19.0 | 3.2 | 7.5 | 3.3 | | |
| Fulmar | | | | | | 0 | | | | | | |
| Gannet | 1 | | | | | 1 | | | | | | |
| Cormorant | 1 | | | | | 1 | | | | | | |
| Shag | 1 | | | | 1 | 2 | 1 | | 1 | | | |
| Eider Duck | 1 | | 1 | | | 2 | 5 | | | | | |
| Waders | | | | | 1 | 1 | | | | 1 | | |
| Gulls | | 2 | 1 | 2 | 14 | 19 | | | 2 | 1 | | |
| Auks | 2 | | 2 | | 6 | 10 | 8 | | 1 | 1 | | |
| Red-legged | | | 1 | | | 1 | | | | | | |
| Partridge | | | | | | | | | | | | |

Other interesting shore finds (dead unless specified) during the NE England Beached Bird Surveys

| Grey Seal | 22.09.05 | Wansbeck | RC | Body intact, head missing. Red spray |
|---------------|----------|------------------|-----|---|
| pup | | estuary to Alcan | | paint marks on fur. |
| | | Northumberland | | |
| Blackbirds?? | 27.10.05 | Druridge Bay, | PG | Four small dark birds: a few bones and |
| | | Northumberland | | feathers on each specimen. |
| Kestrel | 14.11.05 | Hartlepool | MAB | Wings and skeleton only. |
| | | North Sands | | |
| Great Crested | 22.11.05 | North Gare | MAB | Approx 2 weeks dead, wings, skeleton |
| Grebe | | Sands, | | and a few feathers. |
| | | Hartlepool | | |
| Grey Seal | 07.12.05 | Cheswick | MH | Adult female. Dead approx. 3 weeks. |
| | | Beach | | |
| Red-necked | 07.12.05 | Cocklawburn | MH | Slightly oiled. Remained until 12 th . |
| Grebe (alive) | | pond, N N/land | | Was a bit weak and tame but survived. |
| Red-legged | 15.01.06 | Blyth South | DMT | Quite fresh and fair amount of muscle |
| Partridge | | Beach | | on breast bone. Stored in freezer for |
| | | | | Hancock Museum. |
| Woodcock | 31.01.06 | Redcar | MAB | Wings and skeleton. |
| Oystercatche | 17.02.06 | Tynemouth | DMT | Complete, up to a week dead – not |
| r | | Long Sands | | suitable for Museum. Measurements |
| | | | | and photographs taken. |

Gull Summary table 2005 / 2006

| Species | Sept 05 | Oct 05 | Nov 05 | Dec 05 | Jan 06 | Feb 06 |
|----------------------|---------|--------|--------|--------|--------|--------|
| Black-headed | 4 | 1 | 1 | 1 | 5 | |
| Common | 1 | 3 | 2 | 3 | 4 | |
| Herring | 1 | 3 | 1 | 5 | 5 | 1 |
| Great Black-backed | 0 | 0 | 1 | 1 | 3 | 2 |
| Lesser Black-backed | 0 | 0 | 0 | 1 | 1 | |
| Black-backed sp. | 0 | 0 | 0 | 0 | | |
| Kittiwake | 0 | 1 | 1 | 1 | 1 | |
| Unknown | 0 | 1 | 0 | 0 | | |
| Total | 6 | 9 | 6 | 12 | 19 | 3 |
| Length of coast (km) | 38.5 | 36.0 | 38.9 | 37.0 | 40.0 | |

| Species | Sep 05 | Oct 05 | Nov 05 | Dec 05 | Jan 06 | Feb 06 |
|-------------|--------|--------|--------|--------|--------|--------|
| Guillemot | 8 | 38 | 19 | 24 | 8 | 3 |
| Razorbill | 4 | 3 | 3 | 1 | | 1 |
| Puffin | 0 | 1 | 0 | 1 | 1 | |
| Little Auk | 0 | 0 | 0 | 0 | 1 | |
| Auk sp. | 0 | 1 | 1 | 1 | | |
| Total | 12 | 43 | 23 | 27 | 10 | 4 |
| Length (km) | 38.5 | 36.0 | 38.9 | 37.0 | 40.0 | |

Oiling Summary

On 07.12.05 there was a small amount of light oil along the tideline at Cheswick / Cocklawburn (MH).

1st Jan 2006: Four heavily oiled (live) Guillemots at Holy Island. Managed to catch one bird and handed it over to English Nature for analysis (GDRM).

29th Jan 2006: ten very heavily oiled (live) Guillemots at Holy Island: sitting at water's edge – unable to recover them. Two groups of three and four sitting together within 50 yards. Three singles in the next half mile. Reported incident to English Nature and RSPB (GDRM). Live birds not recorded in the tables as corpses.

30th Jan 2006: one oiled (live) Guillemot sitting at Low Water Mark – unable to recover. Checked shoreline with English Nature warden – no dead birds found (GDRM). Live birds not recorded in the tables as corpses.

Jan / Feb 2006: Several gulls in the Berwick area with oil on plumage, but no corpses found. Not a severe oiling incident! (MH).

1st Feb 2006: one (live) heavily oiled Guillemot, Holy Island, handed to English Nature (GDRM). Live bird not recorded in the tables as a corpse.

Other comments

.... Not much to report. Not like last year when many auks perished along the shoreline. (MH).

Feb 2006: After three weeks of onshore winds (Holy Island) I was expecting more casualties! (GDRM)

| Northeast England Summary Report prepared by: | |
|--|--|
| Daniel M Turner, North Shields, Tyne and Wear, England | |

<u>Southeast England – Beached Bird Survey summary report March to Dec 2005</u>

Key Location Data collected by:

Nfk Norfolk, Holkham Bay Steve Bexton BVMS MRCVS, Veterinary Officer,

RSPCA East Winch Wildlife Centre, and his team: Kelly Britten, Rachael Stacey, Andrea Smith,

Sarah Wainwright, Angie Hubbard, Claire Welch,

J. Brooks and Hayley McMinn.

Table 1. Summary data: dead birds found during the Holkham Bay surveys.

| Month | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
|--------------------|------|------|------|------|------|-----|-----|------|------|------|-------|
| Kilometres | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 3.0 | 3.0 | 3.0 | 28.6 |
| Fulmar | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Red-throated Diver | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Waders | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Gulls | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 5 |
| Auks | 16 | 5 | 5 | 2 | 0 | 0 | 0 | 5 | 5 | 3 | 41 |
| Auks / km | 5.71 | 1.79 | 1.79 | 0.71 | 0.0 | 0.0 | 0.0 | 1.67 | 1.67 | 1.0 | 1.43 |
| Gulls / km | 0.36 | 0.36 | 0.0 | 0.0 | 0.71 | 0.0 | 0.0 | 0.0 | 0.0 | 0.33 | 0.17 |

Table 2. Other interesting shore finds (dead unless specified)

| Species | Date | Where found | Observer | Comments |
|-----------|---------|--------------|----------|--|
| Common | 1 March | Holkham Bay, | RSPCA | Hind-flipper with London Zoo tag 49733. |
| Seal | 2005 | Norfolk EWWC | | Sea Mammal Research Unit informed. |
| | | | | Tagged: 1998 in Mablethorpe. |
| Harbour | 1 March | Holkham Bay, | RSPCA | Tail fluke only. |
| Porpoise | 2005 | Norfolk | EWWC | |
| Curlew | 1 March | Holkham Bay, | RSPCA | Estimated dead for $1-2$ weeks. |
| | 2005 | Norfolk | EWWC | Complete. |
| Common | 14 Sept | Holkham Bay, | RSPCA | Juvenile. Hind flippers and head heavily |
| Seal | 2005 | Norfolk | EWWC | predated. |
| Blackbird | 21 Dec | Holkham Bay, | RSPCA | Adult male. Skeleton and feathers. Over |
| | 2005 | Norfolk | EWWC | four weeks dead. |

Table 3. Dead gull summary table, 2005.

| Table 5. Dead gulf sulfilliary table, 2005. | | | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Species | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
| Black-headed | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 |
| Common | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Herring | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Great Black-backed | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Lesser Black-backed | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Kittiwake | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 5 |

Table 4. Dead auk summary table, 2005.

| Table 4. De | Table 4. Dead aux summary table, 2003. | | | | | | | | | | |
|-------------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Species | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Total |
| Guillemot | 13 | 5 | 5 | 2 | 0 | 0 | 0 | 5 | 5 | 3 | 38 |
| Razorbill | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Puffin | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Total | 16 | 5 | 5 | 2 | 0 | 0 | 0 | 5 | 5 | 3 | 41 |

Southeast England 2005 Summary Report.

NE England Beached Bird Survey: specimens found in 2005 and donated to the Hancock Museum, Newcastle

These are specimens found in good condition suitable for a museum collection.

Any birds not taken immediately to the Hancock Museum are stored in a freezer until later transfer to the museum.

Specimens also include those from East Lothian, SE Scotland.

| Species | Date found | Where found | Finder | Comments |
|--|---------------|---|--------------|--|
| Little Auk (Alle alle) | 29.01.05 | Blyth South Beach, near Meggie's Burn. Northumberland. | Dr. H. Ellis | Winter plumage. Fresh. Hew collected it from the beach on 4 Feb 05, but first seen on 29.01.05. Given to Hancock on 14.02.05. |
| Shag (Phalacrocora x aristotelis) | 12.02.05 | Blyth South Beach (north end), Northumberland. | D.M. Turner | Quite fresh, older immature or adult. Given to Hancock on 14.02.05. |
| Meadow Pipit (Anthus pratensis) | 03.04.05 | North Shields Fish Quay, Tyne and Wear. | D.M. Turner | Found dead on Fish Quay, very fresh. Perhaps came off a fishing boat. Given to Hancock on 20.05.05 |
| Great Crested Grebe (Podiceps cristatus) | 07.05.05 | River Don bankside, Jarrow, Tyne and Wear. | D.M. Turner | Found dead at the top of the bank next to the river as it flows into the Tyne. Some blood on chest – shot? Had been seen dead there by local birder on 06.05.05. Given to Hancock on 20.05.05. |
| Puffin (Fratercula arctica) | 28.07.05 | North Berwick east beach, by paddling pool. East Lothian. | M. Sheddan | Adult, fresh, washed up on beach. Given to Hancock on 09.09.05. Museum Entry No. 4865. |
| Black-legged Kittiwake (Rissa tridactyla) | 31.07.05 | North Berwick west beach. East Lothian. | M. Sheddan | Adult, fresh, broken neck, possible GBBGull kill. Given to Hancock on 09.09.05. Museum Entry No. 4865. |
| Slavonian Grebe | 25.09.05 | Charlton's Pond, Billingham, Teeside | M.A. Blick | Was observed alive but sickly from 19 - 24.09.05. Given to Hancock on 26.09.05. Museum Entry No. 4872. |
| Red-legged Partridge | 15.01.06 | Blyth South Beach | D.M. Turner | Quite fresh and fair amount of muscle on breast bone. Currently stored in home freezer for Hancock Museum. |

To: NE England SNS Volunteers:

Martin Blick County Cleveland Daniel M Turner
Dennis Bainbridge County Durham coast North Shields

Gooff Signature 20 Index 20 In

Geoff Siggens Tyne & Wear south Sunday 30 July 2006

Peter Collins Tyne & Wear south

Jonathan Everett Marsden Bay

Ross Ahmed South Shields / Farne Islands

Dan Turner North Tyne & Wear, SE and Mid N/land

Steve Holliday & Maurice Hepple South Blyth beach

Ray Chilton North Blyth / Wansbeck

Phil Gilbert Druridge Bay, Northumberland Phil Davey Beal Station (Fenham Flats)

Malcolm Hutcheson Berwick George Moody Holy Island

Jenny Prince Belford (Budle Bay/Bamburgh North - South)

David Rollo Vet, Berwick Swan and Wildlife Trust

Hew Ellis, Michael Yianni & Malcolm Easdon Northumberland and T & W (occasional)

To: SE Scotland SNS volunteer: Maggie Sheddan East Lothian

To: North Norfolk SNS volunteer group: Steve Bexton and RSPCA East Winch Wildlife Centre

Dear 'Save the North Sea' volunteers,

Here is the (late) July 2006 newsletter to keep you updated with our Group's recent findings.

Many thanks for your continuing surveys and reports and please continue to return to me the results of your monthly surveys. If you have any outstanding reports for recent months which have not been sent to me please send them on.

Remember even if you find no corpses in a particular month please record the date of your survey and length of shore covered and return a report.

I would like to welcome another three new volunteer surveyors to our group:

- (a) Dennis Bainbridge: a member of the Durham Bird Club. Dennis has offered to survey two sections of coastline near Seaham on the Durham coast
- (b) Steve Holliday and Maurice Hepple who are both members of the Northumberland & Tyneside Bird Club. Steve and Maurice have been surveying a section of the South Blyth beach in Southeast Northumberland since April 2006.

If you have any questions, requests, suggestions or notice any errors then please let me know.

Enclosed please find:

- (h) Northeast England Summary Report for January to June 2006 (using data received so far).
- (i) Southeast England Summary Report for data from January to May 2006.

Please continue to return your SNS Beached Bird Survey reports regularly – so that they may be included in our growing dataset. Please also report ringed birds – for inclusion in our reports. As always – please let me know when you find Fulmar or ringed auk corpses – which will be collected for analysis.

Best wishes, Dan Turner

Summary report for Newsletter (July 2006)

Northeast England, Beached Bird Survey summary report Jan to June 2006

Key Location Data collected by:

NN: North Northumberland Jenny Prince, George Moody, Malcolm Hutcheson MN / SN: Mid / South Northumberland Dan Turner, Ray Chilton, Phil Gilbert & Hew Ellis.

Steve Holliday and Maurice Hepple (from

April 2006). Michael Yianni.

NT: North Tyneside, Tyne and Wear Dan Turner

ST: South Tyneside, Tyne and Wear Peter Collins, Ross Ahmed, Jonathan Everett (fr Mar 06).

T&W: Tyne & Wear: including NT + ST Geoff Siggens
Cle: Martin A Blick

| CIC. | CI | CVCIai | Iu | | | | Iviai tiii 1 | 1. Ditc | IX | | | | |
|------------|----|--------|-----|-----|--------|-----|--------------|---------|-----|-----|--------|-----|-------|
| Month | | | | Ja | n 2006 | | | | | Fe | b 2006 | | |
| Location | | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total |
| Kilometres | | 19.0 | 3.2 | 7.5 | 3.3 | 7.0 | 40.0 | 19.0 | 3.2 | 7.5 | 3.3 | 0.0 | 33.0 |
| Gannet | | 1 | - | 1 | - | ı | 1 | - | - | - | - | - | 0 |
| Cormorant | | 1 | - | - | _ | - | 1 | - | - | - | - | - | 0 |
| Shag | | 1 | - | - | - | 1 | 2 | 1 | - | 1 | - | - | 2 |
| Eider Duck | | 1 | - | 1 | - | - | 2 | 5 | - | - | - | - | 5 |
| Waders | | - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | 1 |
| Gulls | | - | 2 | 1 | 2 | 14 | 19 | - | - | 2 | 1 | - | 3 |
| Auks | | 2 | - | 2 | - | 6 | 10 | 9 | - | 1 | 1 | - | 11 |
| Red-legged | | - | - | 1 | - | - | 1 | - | - | - | - | - | 0 |
| Partridge | | | | | | | | | | | | | |

| Month | | | Ma | rch 200 | 6 | | | | Ap | ril 2006 | | |
|--------------|------|-----|-----|---------|-----|-------|------|-----|-----|----------|-----|-------|
| Location | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total |
| Kilometres | 18.5 | 3.2 | 7.9 | 4.2 | 8.0 | 41.8 | 18.5 | 2.3 | 7.8 | 2.7 | 1.5 | 32.8 |
| Fulmar | - | 1 | - | - | - | 1 | - | - | - | - | - | 0 |
| Gannet | - | - | 1 | - | - | 1 | - | - | - | - | - | 0 |
| Cormorant | 1 | - | - | - | - | 1 | - | - | - | - | - | 0 |
| Shag | - | - | - | - | - | 0 | - | - | 1 | - | - | 1 |
| Eider Duck | 2 | - | - | - | 1 | 3 | - | - | - | - | - | 0 |
| Waders | - | 1 | - | - | 2 | 3 | - | - | - | - | - | 0 |
| Gulls | - | 2 | 3 | 1 | 8 | 14 | - | - | - | - | 1 | 1 |
| Terns | 1 | - | - | - | - | 1 | - | - | - | - | - | 0 |
| Auks | 5 | 1 | 3 | - | 5 | 14 | 5 | - | 2 | - | - | 7 |
| Feral Pigeon | - | - | - | _ | - | 0 | - | - | 1 | - | - | 1 |
| Carrion Crow | - | - | - | - | - | 0 | 1 | - | - | - | - | 1 |

| Month | | | M | ay 2006 | | | | | Ju | ne 2006 | | |
|--------------|------|-----|-----|---------|-----|-------|----|-----|-----|---------|-----|-------|
| Location | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total |
| Kilometres | 14.0 | 4.3 | 7.8 | 2.4 | 3.0 | 31.5 | | 3.2 | 7.8 | 2.6 | 4.5 | |
| Fulmar | - | - | - | - | 1 | 1 | | | | | | |
| Gannet | - | - | - | - | - | 0 | | | 1 | | | 1 |
| Cormorant | - | - | - | - | - | 0 | | | | 1 | | 1 |
| Arctic Skua | - | - | - | - | - | 0 | | | 1 | | | 1 |
| Gulls | 1 | 3 | 1 | - | 3 | 8 | | 2 | | 1 | 7 | 10 |
| Terns | 2 | 1 | - | - | - | 3 | | 1 | | | | 1 |
| Auks | 1 | - | 1 | - | 1 | 3 | | 3 | | 1 | | 4 |
| Feral Pigeon | - | 1 | 4 | - | 1 | 6 | | 1 | | 1 | | 2 |

Other interesting shore finds (dead unless specified) during the NE England Beached Bird Surveys

| Oystercatche | 17.02.06 | Tynemouth | DMT | Complete, up to a week dead – not |
|----------------|----------|-----------------------------|----------|--|
| r | | Long Sands | | suitable for Museum. Measurements |
| | | | | and photographs taken. |
| Harbour | 19.03.06 | Druridge Bay | DMT | Young? Small in size: 110 – 120 cm. |
| Porpoise | | | | Quite fresh. Deep gash at rear of right |
| | | | | side of head. |
| Oystercatche | 20.03.06 | Hartlepool | MAB | Dead about one week |
| r | | North Sands | | |
| Curlew | 20.03.06 | Hartlepool North Sands | MAB | Dead 3-4 days and scavenged. |
| Gannet | 26.03.06 | Blyth South | DMT | Probable third-winter bird, with |
| | | beach | | monofilament netting around neck. |
| Redshank | 26.03.06 | Druridge Bay | PG | Two wings in poor condition |
| | | | | connected by breast bone. |
| Harbour | 29.03.06 | Black Rocks, | MH | Dead at least two weeks. |
| Porpoise | | Cheswick | | |
| Sandwich | 30.03.06 | Holy Island | GDRM | Adult, fresh. |
| Tern | | | | , |
| Carrion Crow | 03.04.06 | Cheswick Beack | MH | Adult, tide line corpse. |
| Blackbird | 14.04.06 | Blyth South Beach | SH / MH | One wing only, long dead. |
| Racing | 01.05.06 | Seaton Sluice, | DMT | Left leg: Blue rubber ring with '3028' |
| Pigeon | | South N/land. | | inside. Right leg: Pink closed ring: GB |
| | | | | 05 S51019; Yellow plastic ring 'please |
| | | | | phone 01875 811296'. It had been in a |
| | | | | race from Morpeth (Northumberland) |
| | | | | to its loft at Port Seton, East Lothian |
| | | | | about two weeks earlier. |
| Common Tern | 29.05.06 | Druridge Bay, Mid N/land | DMT / MY | Adult, dead 2 - 3 weeks, maggoty. |
| Racing | 29.05.06 | Druridge Bay, | DMT / MY | Dead 4+ weeks. Blue ring right leg: |
| Pigeon | | Mid N/land | | GB04 V05235. Owned by Mr |
| J | | | | Thornton of Byker, Newcastle upon |
| | | | | Tyne. The bird was not in a race and |
| | | | | had not been seen by the owner for |
| | | | | some months. |
| Common | 18.06.06 | Druridge Bay, | PG | Complete, fresh. Head injury probably |
| Seal | | Mid N/land | | caused death. |
| Arctic Skua | 24.06.06 | Blyth South | SH | Adult, 3+ weeks dead. Breast bone, |
| | | Beach | | wings (not fully feathered), one leg and |
| | | | | foot, skull. Skull saved for collection. |
| Arctic Tern | 15.07.06 | Birling Carrs, | HE | Adult, fresh. Metal BTO ring: |
| | | Warkworth, mid | | SV56365. Reported to BTO : 16.07.06 |
| | | N/land | | F |
| Kittiwake | 19.07.06 | Marsden Bay, | JE | Seven chicks at 4-5 weeks of age. |
| | | South Tyneside | - | Marsden has a Kittiwake breeding |
| | | 1,110,140 | | colony – this represents some summer |
| | | | | casualties. |
| | <u> </u> | | 1 | Cabaditios. |

9

NEBBS Newsletters 9 to 11, 2006 Gull Summary table 2006

| Species | Jan 06 | Feb 06 | Mar 06 | Apr 06 | May 06 | June 06 | Total |
|----------------------|--------|--------|--------|--------|--------|---------|-------|
| Black-headed | 5 | - | 2 | 1 | 2 | 2 | 12 |
| Common | 4 | - | 2 | - | 1 | - | 7 |
| Herring | 5 | 1 | 6 | - | 1 | 5 | 18 |
| Great Black-backed | 3 | 2 | 2 | - | - | - | 7 |
| Lesser Black-backed | 1 | - | - | - | - | 2 | 3 |
| Black-backed sp. | - | - | 1 | - | - | - | 1 |
| Kittiwake | 1 | - | 1 | - | 4 | 1 | 7 |
| Unknown | - | - | - | - | - | - | 0 |
| Total | 19 | 3 | 14 | 1 | 8 | 10 | 55 |
| Length of coast (km) | 40.0 | 33.0 | 41.8 | 32.8 | 31.5 | 18.1 | 197.2 |

Auk Summary table 2006

| Species | Jan 06 | Feb 06 | Mar 06 | Apr 06 | May 06 | Jun 06 | Total |
|-------------|--------|--------|--------|--------|--------|--------|-------|
| Guillemot | 8 | 4 | 12 | 6 | 2 | 3 | 35 |
| Razorbill | - | 1 | - | 1 | - | - | 2 |
| Puffin | 1 | - | 2 | - | 1 | 1 | 5 |
| Little Auk | 1 | - | - | - | - | - | 1 |
| Auk sp. | - | - | - | - | - | - | 0 |
| Total | 10 | 5 | 14 | 7 | 3 | 4 | 43 |
| Length (km) | 40.0 | 33.0 | 41.8 | 32.8 | 31.5 | 18.1 | 197.2 |

Oiling Summary

1st Jan 2006: Four heavily oiled (live) Guillemots at Holy Island. Managed to catch one bird and handed it over to English Nature for analysis (GDRM).

29th Jan 2006: ten very heavily oiled (live) Guillemots at Holy Island: sitting at water's edge – unable to recover them. Two groups of three and four sitting together within 50 yards. Three singles in the next half mile. Reported incident to English Nature and RSPB (GDRM). Live birds not recorded in the tables as corpses.

30th Jan 2006: one oiled (live) Guillemot sitting at Low Water Mark – unable to recover. Checked shoreline with English Nature warden – no dead birds found (GDRM). Live birds not recorded in the tables as corpses.

Jan / Feb 2006: Several gulls in the Berwick area with oil on plumage, but no corpses found. Not a severe oiling incident! (MH).

1st Feb 2006: one (live) heavily oiled Guillemot, Holy Island, handed to English Nature (GDRM). Live bird not recorded in the tables as a corpse.

| Northeast England Summary Report prepared by: | |
|--|--|
| Daniel M Turner, North Shields, Tyne and Wear, England | |

Southeast England – Beached Bird Survey summary report: January to May, 2006

Key Location Data collected by:

Nfk Norfolk, Holkham Bay Steve Bexton MRCVS BVMS, Veterinary Officer, RSPCA East Winch Wildlife Centre, and his team.

Table 1. Summary data: dead birds found during the Holkham Bay surveys.

| | | | | -6 | | |
|--------------------|------|------|-----|------|-----|-------|
| Month 2006 | Jan | Feb | Mar | Apr | May | Total |
| Kilometres | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 15.0 |
| Fulmar | - | - | _ | _ | - | 0 |
| Red-throated Diver | - | - | - | - | - | 0 |
| Gannet | - | - | - | 1 | - | 1 |
| Shag | - | - | - | - | - | 0 |
| Eider Duck | - | 1 | - | - | - | 1 |
| Waders | - | - | - | - | - | 0 |
| Gulls | 1 | - | - | - | - | 1 |
| Auks | 8 | 2 | 3 | 2 | - | 15 |
| Auks / km | 2.67 | 0.67 | 1.0 | 0.67 | 0.0 | 1.0 |
| Gulls / km | 0.33 | 0.0 | 0.0 | 0.00 | 0.0 | 0.07 |

Table 2. Other interesting shore finds (dead unless specified)

| Species | Date | Where found | Observer | Comments |
|---------|----------|--------------|----------|--|
| Seal | 14.04.06 | Holkham Bay, | RSPCA | Scavenged and decayed. No head or |
| | | Norfolk | EWWC | flippers. Probably a grey seal, although |
| | | | | not intact. |

Table 3. Dead gull summary table, 2006.

| Species | Jan | Feb | Mar | Apr | May | Total |
|---------------------|-----|-----|-----|-----|-----|-------|
| Black-headed | 1 | - | - | - | - | 0 |
| Common | 1 | - | - | - | - | 1 |
| Herring | 1 | - | - | - | - | 0 |
| Great Black-backed | 1 | - | - | - | - | 0 |
| Lesser Black-backed | - | - | - | - | - | 0 |
| Kittiwake | 1 | - | - | - | - | 0 |
| Unknown | - | - | - | - | - | 0 |
| Total | 1 | 0 | 0 | 0 | 0 | 1 |

Table 4. Dead auk summary table, 2006.

| Species | Jan | Feb | Mar | Apr | May | Total |
|-----------|-----|-----|-----|-----|-----|-------|
| Guillemot | 8 | 2 | 3 | 2 | 1 | 15 |
| Razorbill | - | - | - | - | - | 0 |
| Puffin | - | - | - | - | - | 0 |
| Total | 8 | 2 | 3 | 2 | 0 | 15 |

Oiling Summary

None so far

Other comments

Feb 24: Suspect actual number of bird bodies and amount of shore litter was much greater, but strong winds had blown much sand up-shore which had covered everything on the tide line.

Southeast England 2006 Summary Report.

To: NE England SNS Volunteers:

Martin BlickCounty ClevelandDaniel M TurnerDennis BainbridgeCounty Durham coastNorth Shields

Geoff Siggens Tyne & Wear south Thursday 16 Nov 2006

Peter Collins Tyne & Wear south

Jonathan Everett Marsden Bay

Ross Ahmed South Shields / Farne Islands

Dan Turner North Tyne & Wear, SE and Mid N/land

Steve Holliday & Maurice Hepple South Blyth beach

Ray Chilton North Blyth / Wansbeck

Phil Gilbert Druridge Bay, Northumberland Phil Davey Beal Station (Fenham Flats)

Malcolm Hutcheson Berwick George Moody Lindisfarne

Jenny Prince Belford (Budle Bay/Bamburgh North - South)

David Rollo Vet, Berwick Swan and Wildlife Trust

Hew Ellis, Michael Yianni & Malcolm Easdon Northumberland and T & W (occasional)

To: SE Scotland SNS volunteer: Maggie Sheddan East Lothian

To: North Norfolk SNS volunteer group: Steve Bexton and RSPCA East Winch Wildlife Centre

Dear 'Save the North Sea' volunteers,

Here is the mid November 2006 newsletter to keep you updated with our Group's recent findings.

Many thanks for your continuing surveys and reports and please continue to return to me the results of your monthly surveys. If you have any outstanding reports for recent months which have not been sent to me please send them on.

Remember even if you find no corpses in a particular month please record the date of your survey and length of shore covered and return a report.

If you have any questions, requests, suggestions or notice any errors then please let me know.

Enclosed please find:

- (j) Northeast England Summary Report for May to Oct 2006 (using data received so far).
- (k) Southeast England Summary Report for data from January to Oct 2006.

Please continue to return your SNS Beached Bird Survey reports regularly – so that they may be included in our growing dataset. Please also report ringed birds – for inclusion in our reports. As always – please let me know when you find Fulmar or ringed auk corpses – which I shall come to collect from you for analysis.

We currently have two complete frozen Fulmar corpses (collected on our coastline during 2006) – for full analysis (here in NE England and on the island of Texel in Holland) on later suitable dates.

Best wishes,

Dan Turner

Summary report for Newsletter (Nov 2006)

Northeast England, Beached Bird Survey summary report May to Oct 2006

Location Data collected by: Key

George Moody and Malcolm Hutcheson. NN: North Northumberland Dan Turner, Ray Chilton, Phil Gilbert, Mid / South Northumberland MN / SN:

Steve Holliday and Maurice Hepple. Malcolm Easdon, Hew Ellis and

Michael Yianni (occasional surveyors).

NT: North Tyneside, Tyne and Wear Dan Turner ST: South Tyneside, Tyne and Wear Jonathan Everett Cleveland Cle: Martin A. Blick

| Month | | | Ma | ay 2006 | | | | | Ju | ne 2006 | | |
|--------------|------|-----|-----|---------|-----|-------|------|-----|-----|---------|-----|-------|
| Location | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total |
| Kilometres | 18.5 | 4.3 | 7.8 | 2.4 | 3.0 | 36.0 | 18.5 | 3.2 | 7.8 | 2.6 | 4.5 | 36.6 |
| Red-throated | - | - | - | - | - | 0 | 1 | - | - | - | - | 1 |
| Diver | | | | | | | | | | | | |
| Fulmar | - | - | - | - | 1 | 1 | - | - | - | - | - | 0 |
| Gannet | - | - | - | - | - | 0 | - | - | 1 | - | - | 1 |
| Cormorant | - | - | - | - | - | 0 | - | - | - | 1 | - | 1 |
| Waders | 1 | - | - | - | - | 1 | - | - | - | - | _ | 0 |
| Arctic Skua | - | - | - | - | - | 0 | - | - | 1 | - | _ | 1 |
| Gulls | 1 | 3 | 1 | - | 3 | 8 | - | 2 | - | 1 | 7 | 10 |
| Terns | 2 | 1 | - | - | - | 3 | - | 1 | - | - | - | 1 |
| Auks | 1 | - | 1 | - | 1 | 3 | 2 | 3 | - | 1 | - | 6 |
| Feral Pigeon | - | 1 | 4 | - | 1 | 6 | - | 1 | - | 1 | - | 2 |

| Month | | | Ju | ly 2006 | | | | | Aug | gust 2006 | | |
|--------------|------|-----|-----|---------|-----|-------|------|-----|-----|-----------|-----|---------|
| Location | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total |
| Kilometres | 17.5 | 2.7 | 7.8 | 2.6 | 0.0 | 30.6 | 17.5 | 3.2 | 7.8 | 2.5 | 5.0 | 36.0 |
| Fulmar | - | - | - | - | - | 0 | - | - | - | 1 juv | - | 1 |
| Gannet | - | - | - | - | - | 0 | 1 | - | - | - | - | 1 |
| Cormorant | ı | - | - | - | 1 | 0 | - | - | 1 | - | 1 | 1 |
| Shag | ı | - | - | - | 1 | 0 | 1 | - | ı | 1 | 1 | 1 |
| Eider Duck | 1 | - | - | - | 1 | 0 | 1 | - | ı | 1 | 1 | 1 |
| Gulls | - | 1 | 4 | 7 | - | 12 | - | - | 1 | 65 (63 | 5 | 71 (63 |
| | | | | | | | | | | juv kit) | | ju kit) |
| Terns | ı | 3 | - | - | 1 | 3 | - | - | 1 | 1 | 1 | 1 |
| Auks | 4 | - | 6 | 3 | 1 | 13 | 8 | 2 | 22 | 1 | 8 | 41 |
| Feral Pigeon | - | - | - | - | - | 0 | - | - | 1 | - | - | 1 |

| Month | | | pt 2006 | | | | Oct 2006 | | | | | |
|--------------|------|-----|---------|-----|-----|-------|----------|-----|-----|-----|-----|-------|
| Location | NN | MN | SN | T&W | Cle | Total | NN | MN | SN | T&W | Cle | Total |
| Kilometres | 17.5 | 3.2 | 4.3 | 1.8 | 3.0 | 29.8 | | 3.2 | 7.8 | 2.4 | 7.5 | 20.9 |
| Fulmar | - | - | 1 | - | - | 1 | | - | - | - | - | 0 |
| Cormorant | - | - | - | - | - | 0 | | - | - | - | 1 | 1 |
| Eider Duck | 1 | - | - | - | - | 1 | | - | - | - | - | 0 |
| Waders | - | - | - | - | - | 0 | | - | - | - | 1 | 1 |
| Gulls | - | - | - | - | - | 0 | | - | 2 | - | 3 | 5 |
| Auks | 12 | 9 | 13 | - | 11 | 45 | | 7 | 11 | 1 | 6 | 25 |
| Feral Pigeon | - | - | 1 | - | 1 | 1 | | 1 | 2 | 1 | - | 2 |

Other interesting shore finds (dead unless specified) during the NE England Beached Bird Surveys

| Arctic Tern | 15.07.06 | Birling Carrs, Warkworth, mid N/land (NU252080) | HE | Adult, fresh. Metal BTO ring: SV56365. Reported to BTO: 16.07.06 Reply received: mid Sept 06. Ringed as nestling on Coquet Island, Amble, Northumberland, England on 20 June 2000. Sex Unknown. Found 2216 days since ringing, 5 km distance, direction 320 degrees. |
|---------------------|-----------------|--|-----------------------------|--|
| Kittiwake | 19.07.06 | Marsden Bay, South Tyneside | JE | Seven chicks at 4-5 weeks of age. Marsden has a Kittiwake breeding colony – this represents some summer casualties. |
| Kittiwake | 18.08.06 | Marsden Bay, South Tyneside | JE | 63 chicks at approx 4 – 8 weeks of age. Breeding colony casualties, half of which were probably due to recent torrential thunderstorms. |
| Grey Seal | 26.08.06 | Wansbeck estuary to North Blyth | RC | Fresh dead, unmarked where visible. Approx 6 feet long. |
| Harbour Porpoise | Approx 26.08.06 | Blyth South Beach | Reported by an angler | Dead a little while, smelly. Head damaged – caught by a boat? Approx 1.2 metres in length. |
| Eider | 26.09.06 | Holy Island | GDRM | One fresh dead young male and two more young males which were very sick. |
| Guillemot | 27.09.06 | Holy Island: Mainland shore | Via GDRM | Wildfowl warden reported several (8 - 12) dead Guillemots along the mainland shore. |
| Animal sp. | 06.10.06 | Wansbeck estuary to North Blyth | RC | Skin found at high tide mark. Good condition, looked like medium sized dog, large fox or deer. |
| Oystercatche r | 20.10.06 | Hartlepool North Sands | MAB | Dead for about one week. |
| Redwing | 20.10.06 | Hartlepool North Sands | MAB | Dead for about two days |

Gull Summary table 2006 (July – Oct, data so far received)

| Species | July 06 | Aug 06 | Sept 06 | Oct 06 | Total |
|---------------------|-----------------|------------------|---------|--------|--------|
| Black-headed | 3 | 1 | - | 3 | 7 |
| Common | - | - | - | i | 0 |
| Herring | 1 | 4 | - | 1 | 5 |
| Great Black-backed | - | - | - | 2 | 2 |
| Lesser Black-backed | 1 | - | - | - | 1 |
| Black-backed sp. | - | - | - | - | 0 |
| Kittiwake | 7 juv | 66 (63 | - | - | 73 |
| | | juv) | | | (70 j) |
| Unknown | - | - | - | 1 | 0 |
| Total | 12 (7 j kit) | 71 (63 j kit) | 0 | 5 | 88 |

Auk Summary table 2006 (July – Oct, data so far received)

| Species | July 06 | Aug 06 | Sept 06 | Oct 06 | Total |
|-------------|---------|-----------|-----------|----------------|-------|
| Guillemot | 5 | 29 | 34 | 21 | 89 |
| | | (14 Juv) | (10+Juv | (2×1) | |
| | | |) | | |
| Razorbill | - | 7 (2 Juv) | 6 (1 Juv) | 3 | 16 |
| Puffin | 8 | 5 (3 Juv) | 2 | - | 15 |
| Little Auk | - | - | - | - | 0 |
| Auk sp. | - | - | 3 | 1 | 4 |
| Total | 13 | 41 | 45 | 25 | 124 |
| Length (km) | 30.6 | 36.0 | 29.8 | 20.9 | 117.3 |

Tern Summary table 2006

| 1 CI II Sullilli | iry table 200 | <u> </u> | | | | | |
|------------------|---------------|----------|---------------|---------|---------|---------------|-------|
| Species | Mar 06 | Apr 06 | May 06 | June 06 | July 06 | Aug 06 | Total |
| Sandwich | 1 | - | 1 | 1 | - | - | 3 |
| Common | - | - | 1 | - | 2 | 1 | 4 |
| Arctic | - | - | 1 | - | 1 | | 2 |
| Total | 1 | 0 | 3 | 1 | 3 | 1 | 9 |

Other comments

Sept 2006: (MHu) Local Auk population seem to be suffering from lack of food as many birds seen feeding close inshore. (Nine Guillemots and two Razorbills in Tweed estuary on 30 Sept, two weak birds were hauled out onto the lifeboat station ramp to rest).

Northeast England Summary Report prepared by:
Daniel M Turner, North Shields, Tyne and Wear, England

Southeast England - Beached Bird Survey summary report: January to Oct, 2006

Location Data collected by:

Norfolk, Holkham Bay Steve Bexton MRCVS BVMS, Veterinary Officer,

RSPCA East Winch Wildlife Centre, and his team:

including Hayley McMinn,

Table 1. Summary data: dead birds found during the Holkham Bay surveys.

| 10010 11 8 00111111011 5 00000 | | | | -6 | | | · | | | | |
|--------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-------|
| Month 2006 | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sept | Oct | Total |
| Kilometres | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 0.0 | 2.9 | 2.9 | 2.9 | 26.1 |
| Fulmar | | | | | | | | | | | 0 |
| Gannet | | | | 1 | | | | | | | 1 |
| Eider Duck | | 1 | | | | | | | | | 1 |
| Oystercatcher | | | | | | 1 | | | | | 1 |
| Gulls | 1 | | | | | 2 | | | | 1 | 4 |
| Auks | 8 | 2 | 3 | 2 | | 2 | | | | 4 | 21 |

Table 2. Other interesting shore finds (dead unless specified)

| Species | Date | Where found | Observer | Comments |
|----------|----------|--------------|----------|--|
| Seal | 14.04.06 | Holkham Bay, | RSPCA | Scavenged and decayed. No head or |
| | | Norfolk | EWWC | flippers. Probably a grey seal, although |
| | | | | not intact. |
| Common | 05.10.06 | Holkham Bay, | RSPCA | Two to three months old, well rotten. |
| Seal pup | | Norfolk | EWWC | |

Table 3. Dead gull summary table, 2006.

| Table 3. Dead guil sui | iiiiai y t | able, 20 | <i>.</i> | | | | | | | | |
|------------------------|------------|----------|----------|-----|-----|-----|-----|-----|------|-----|-------|
| Species | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sept | Oct | Total |
| Black-headed | | | | | | 2 | | | | | 2 |
| Common | 1 | | | | | | | | | | 1 |
| Herring | | | | | | | | | | | 0 |
| Great Black-backed | | | | | | | | | | 1 | 1 |
| Lesser Black-backed | | | | | | | | | | | 0 |
| Kittiwake | | | | | | | | | | | 0 |
| Unknown | | | | | | | | | | | 0 |
| Total | 1 | 0 | 0 | 0 | 0 | 2 | - | 0 | 0 | 1 | 4 |

Table 4. Dead auk summary table, 2006.

| 10010 1120 | | | | -, | - | | | | | | |
|------------|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-------|
| Species | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sept | Oct | Total |
| Guillemot | 8 | 2 | 3 | 2 | | 2 | | | | 4 | 21 |
| Razorbill | | | | | | | | | | | 0 |
| Puffin | | | | | | | | | | | 0 |
| Total | 8 | 2 | 3 | 2 | 0 | 2 | - | 0 | 0 | 4 | 21 |

Oiling Summary

None so far

Other comments

Feb 24: Suspect actual number of bird bodies and amount of shore litter was much greater, but strong winds had blown much sand up-shore which had covered everything on the tide line.

Southeast England 2006 Summary Report.